



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016

Filing Confirmation Number: 0007334039

Filing Deadline: July 15, 2016

FRN: 0018941682

Filing Date: 07/11/2016 09:26 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: HTC America, Inc.
Brand Names: HTC
PO Box:
Street Address: 308 Occidental Ave S, Floor 3
City: Seattle
State: WA
Zip Code: 98104

Contact Name: Venkata Movva
Contact Phone: (913) 991-4956
Contact Fax:
Contact Email: venkata_movva@htc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.htc.com/us/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We've done outreach events at a number of places including AlphaPointe and Kansas School of the Deaf over the last year. We've received feedback from those with both hearing and visual impairments and are making necessary steps to ensure our products are more accessible for these users.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 16

Report Remarks

n/a

You have reported the following handset model summary information.

Total number of handsets offered: 14

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	7	100%					7
CDMA	8	100%					8
WCDMA	13	100%					13

You have reported the following handset model summary information.
Total number of handsets offered: 14

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent		Total by Air Interface
LTE	1	100%					1

Handset 1: HTC 0PGQ100

Handset Maker

HTC

Handset Model Name

0PGQ100

FCC ID

NM80PGQ100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/27/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/27/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: HTC 0PJA100

Handset Maker

HTC

Handset Model Name

0PJA100

FCC ID

NM80PJA100

Air Interfaces/Frequency Bands

800 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 01/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: HTC 0PJA120

Handset Maker

HTC

Handset Model Name

0PJA120

FCC ID

NM80PJA120

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 09/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: HTC 0PJA200

Handset Maker

HTC

Handset Model Name

0PJA200

FCC ID

NM80PJA200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: HTC 0PJA300

Handset Maker

HTC

Handset Model Name

0PJA300

FCC ID

NM80PJA300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 01/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: HTC 0PM3100

Handset Maker

HTC

Handset Model Name

0PM3100

FCC ID

NM80PM3100

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2100 MHz LTE

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: HTC 0PM9110**Handset Maker**

HTC

Handset Model Name

0PM9110

FCC ID

NM80PM9110

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/27/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: HTC 0PM9120

Handset Maker

HTC

Handset Model Name

0PM9120

FCC ID

NM80PM9120

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: HTC 0PM9200

Handset Maker

HTC

Handset Model Name

0PM9200

FCC ID

NM80PM9200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 06/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: HTC 0PM9300

Handset Maker

HTC

Handset Model Name

0PM9300

FCC ID

NM80PM9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/20/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/20/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: HTC 2PQ9120

Handset Maker

HTC

Handset Model Name

2PQ9120

FCC ID

NM82PQ9120

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 11/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: HTC 2PQ9300

Handset Maker

HTC

Handset Model Name

2PQ9300

FCC ID

NM82PQ9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 11/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: HTC 2PS6400

Handset Maker

HTC

Handset Model Name

2PS6400

FCC ID

NM82PS6400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: HTC 2PS6500

Handset Maker

HTC

Handset Model Name

2PS6500

FCC ID

NM82PS6500

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Venkata Sukumar Movva Compliance Officer
07/11/2016 09:26 AM